Product Information Sheet

trol gear, light-

control

ing


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources	ELEGATED REGUL	ATION (EU) 2019/2	015 with regard to energ	gy labelling of light		
Supplier's name	e or trade mark:	ULTRALUX				
Supplier's address: Boriana Ltd, Treti Mart 12, 5370 Dryanovo Gabrovo, BG						
Model identifie	r: SPL4B72RC-PC	СВ				
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		Terminal block				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		Yes	Envelope:	-		
High luminance light source:		No				
Anti-glare shield	d:	No	Dimmable:	Yes		
		Product para	meters			
Parameter		Value	Parameter	Value		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		General product p	Energy efficiency class	D		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		8 000 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500		
On-mode power (P _{on}), ex- pressed in W		64,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	480	Spectral power dis-	See image		
sions without	Width	480	tribution in the	in last page		
separate con-	Depth	85	range 250 nm to 800			

nm, at full-load

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,379 0,376			
Parameters for directional light sources:						
Peak luminous intensity (cd)	2 300	Beam angle in degrees, or the range of beam angles that can be set	120			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	5	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market.



EPREL registration number: 1984251 https://eprel.ec.europa.eu/qr/19

84251

Supplier: BORIANA LTD Website: ULTRALUX.BG

Customer care service:

Name: Boriana Ltd Website: ultralux.bg

Email: sales@ultralux.bg Phone: +35967674433

Address: Treti Mart 12 5370 Dryanovo

Bulgaria