Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: ULTRALUX	
---	--

Supplier's address: Boriana Ltd, Treti Mart 12, 5370 Dryanovo Gabrovo, BG

Model identifier: SPLW18CCT-PCB


_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	3 Uui C	c.

	1	1	1	
Lighting technology used:	LED	Non-directional or	DLS	
		directional:		
Light source cap-type	Terminal block			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light	No	
		source (CLS):		
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				
Parameter	Value	Parameter	Value	
	Canada na dinata		1	

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
0,	nption in on- 00 h), rounded st integer	16	Energy efficiency class	D	
dicating if it refe a sphere (360°)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	2 100 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 000 or 6 500	
On-mode pow pressed in W	ver (P _{on}), ex-	16,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	230	Spectral power dis-	See image	
sions without	Width	230	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	60	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,367
		nates (x and y)	0,341
Parameters for directional light sources:			
Peak luminous intensity (cd)	800	Beam angle in degrees, or the range of beam angles that can be set	120
Parameters for LED and OLED light sources:			
R9 colour rendering index value	3	Survival factor	1,00
the lumen maintenance factor	0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 25/10/2023.



EPREL registration number: 1604913 https://eprel.ec.europa.eu/qr/16

04913

Supplier: BORIANA LTD (Importer) Website: ULTRALUX.BG

Customer care service:

Name: Boriana Ltd Website: ultralux.bg

Email: sales@ultralux.bg Phone: +35967674433

Address: Treti Mart 12 5370 Dryanovo

Bulgaria